

REMARKS

Pursuant to Rule 312, Applicants have amended the specification to update all references of co-pending and related applications cited in the instant application with a patent number, if one has issued, or a publication number, where available.

For the Examiner's convenience, below please find a table with a listing of serial numbers that have been changed and their corresponding issued patent number or publication number.

U.S. Serial No.	Issued Patent No./Publication No.
08/519,062	6,200,737
08/818,199	6,023,540
09/151,877	6,327,410
09/256,943	6,429,027
09/315,584	6,544,732
09/316,154	US 20020051971
09/450,829	6,266,459
09/513,362	US 20030108867
09/517,945	6,355,431
PCT US99/14387	WO 99/67641
PCT US98/21193	WO 99/18434
PCT US00/13942	WO 00/71243
PCT US98/05025	WO 98/40726

CONCLUSION

Applicants submit the amendment to the specification does not raise new issues requiring further examination and do not introduce any new matter. Applicants respectfully request entry this amendment.

Please direct any calls in connection with this application to the undersigned at (415) 781-1989.

Respectfully submitted,
DORSEY & WHITNEY LLP

Dated: 12/22/03
Customer Number: 32940
Dorsey & Whitney LLP
Four Embarcadero Center, Suite 3400
San Francisco, CA 94111-4187
Telephone: (415) 781-1989
Facsimile: (415) 398-3249

BY: Robin M. Silva
Robin M. Silva, Reg. No. 38, 304
Filed under § 1.34(a)